

Arizona Spay & Neuter Clinic
6835 E Thomas Rd.
Scottsdale, Az 85251
480-874-3647

Vaccine Aftercare Instructions

Your Pet has received one or more vaccines today to protect them from serious or fatal diseases. Your Diligence and care in providing these life saving vaccines in a timely manner is greatly appreciated by your pet.

Although these vaccines are safe and effective, occasionally pets may experience one or more of the following conditions due to a vaccine reaction:

- Mild Lethargy
- Muscular Soreness
- Decreased Appetite
- Mild Fever
- Mild Vomiting and/or Diarrhea

These mild reactions usually **Do NOT Last** more than 24 hours, However if you have any questions regarding your pets behavior please contact our office at any time.

Rarely, pets may experience a more severe reaction including:

- Swelling of face and ears
- Hives or severe itching at vaccine site
- Fluid build up or infection at vaccine site
- Severe Diarrhea and/or vomiting

****** Pets that have received a Intra Nasal Bordatella Vaccine may experience a mild upper respiratory reaction 5-7 days after the vaccine was given. These pets may sneeze and or have a runny nose for 2-3 days.**

Occasionally Pets may receive vaccines develop a localized vaccine reaction indicated by a small hard lump under the skin where the vaccine was given. These lumps usually take 1-3 weeks to appear and 2-6 weeks to subside. They usually require no additional treatment. On rare occasion pets receiving the rabies vaccine may develop a bald spot over the vaccine site if this occurs please contact our office.

Please contact our office if you have any questions about your pet's health. For after hour emergencies you may contact Scottsdale Veterinary Clinic @ 480-945-8484, they are located at 7311 E Thomas